

Journal of Medical Genetics



March 2014 Malance F1 hours

Cover credit: Mitochondrial rRNA mutation causing hypertrophic cardiomyopathy from Liu Z et al. pg 176







be of special interest or importance and is freely available online. This article has been made freely available online under the BMJ Journals Open

6 Access scheme. See http://jmj.bmj.com/ OPEN ACCESS site/about/guidelines.xhtml#open

COPE COMMITTEE ON PUBLICATION ETHICS

This journal is a member of and subscribes to the principles of the Committee on Publication Ethics http://publicationethics.org/



recycle When you have finished with this please recycle i

Contents

Review

143 Prenvlation defects in inherited retinal diseases S Roosing, R W J Collin, A I den Hollander, F P M Cremers, A M Siemiatkowska

Genotype-phenotype correlations

- **152** *Methyl-CpG-binding protein 2 (MECP2)*
- Ø mutation type is associated with disease severity in Rett syndrome V A Cuddapah. R B Pillai, K V Shekar, J B Lane, K J Motil, S A Skinner, D C Tarquinio, D G Glaze, G McGwin, W E Kaufmann, A K Percy, J L Neul, M L Olsen
- **159** Correlation between *FMR1* expression and clinical phenotype in discordant dichorionicdiamniotic monozygotic twin sisters with the fragile x mutation W Huang, S Luo, J Ou, F Zhu, Y Xia, J Xue, Q Pan, L Wu, R Duan
- **165** The *HNF4A* R76W mutation causes atypical dominant Fanconi syndrome in addition to a β 6
 - cell phenotype A I Hamilton, C Bingham, T J McDonald, P R Cook, R C Caswell, M N Weedon, R A Oram, B M Shields, M Shepherd, C D Inward, I P Hamilton-Shield, J Kohlhase, S Ellard, A T Hattersley
- 170 Mutations in SDHD lead to autosomal recessive encephalomyopathy and isolated mitochondrial

complex II deficiency C B Jackson, J-M Nuoffer, D Hahn, H Prokisch, B Haberberger, M Gautschi, A Häberli, S Gallati, A Schaller

176 The novel mitochondrial 16S rRNA 2336T>C 6 mutation is associated with hypertrophic OPEN ACCESS

cardiomyopathy Z Liu, Y Song, D Li, X He, S Li, B Wu, W Wang, S Gu, X Zhu, X Wang, Q Zhou, Y Dai, Q Yan

March 2014 Volume 51 Issue 3

New loci

185 A splice donor mutation in *NAA10* results in the dysregulation of the retinoic acid signalling pathway and causes Lenz microphthalmia syndrome T Esmailpour, H Riazifar, L Liu, S Donkervoort, V H Huang, S Madaan, B M Shoucri, A Busch, J Wu, A Towbin, R B Chadwick, A Sequeira, M P Vawter, G Sun, J J Johnston, L G Biesecker, R Kawaguchi, H Sun, V Kimonis, T Huang

Developmental defects

- **197** Whole exome sequencing identifies de novo mutations in GATA6 associated with concenital diaphragmatic hernia L Yu, J T Bennett, J Wynn, G L Carvill, Y H Cheung, Y Shen, G B Mychaliska, K S Azarow, T M Crombleholme, D H Chung, D Potoka, B W Warner, B Bucher, F-Y Lim, J Pietsch, C Stolar, G Aspelund, M S Arkovitz University of Washington Center for Mendelian Genomics, H Mefford, W K Chung
- 203 Glycosylphosphatidylinositol (GPI) anchor deficiency caused by mutations in PIGW is associated with West syndrome and hyperphosphatasia with mental retardation syndrome T Chivonobu, N Inoue, M Morimoto, T Kinoshita, Y Murakami

Cancer genetics

208 Spectrum of RB1 mutations identified in 403 retinoblastoma patients E A Price, K Price, K Kolkiewicz, S Hack, M A Reddy, J L Hungerford, J E Kingston, Z Onadim

Correction

214 Correction

jmg.bmj.com